UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/563,267	06/16/2006	Andreas Michalske	10191/4084	6417	
²⁶⁶⁴⁶ KENYON & K	7590 12/12/2007 CENYON L.I.P.		EXAM	EXAMINER	
ONE BROAD	WAY		SOLIS, E	ERICK R	
NEW YORK,	NY 10004		ART UNIT	PAPER NUMBER	
			3747		
			MAIL DATE	DELIVERY MODE	
			12/12/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

S. C.	Application No.	Applicant(s)			
Supplemental					
Notice of Allowability	10/563,267 Examiner	MICHALSKE ET AL.			
, to the or the transfer of th	Examiner	Art Unit			
	Erick R. Solis	3747			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Id Iclaims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included erewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS IOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative if the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. ☑ This communication is					
attached Examiner's comment regarding REQUIREMENT I Attachment(s) 1. \[\] Notice of References Cited (PTO-892) 2. \[\] Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal	Patent Application			
	6. ☐ Interview Summar Paper No./Mail D				
3. ⊠ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 11/1/2007	7. Examiner's Amend	iment/Comment			
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	_	nent of Reasons for Allowan نعو	ce		
	9.	Erick R Solis Primary Examiner Art Unit: 3747			

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06)